

INDEX MAPS.

T.2N R.6W 2nd Mer.

	399		399		398		398		398		397	
401	6	419	5	416	4	412	3	408	2	405	1	397
	421		419		416		412		408		405	
401	7	419	8	415	9	412	10	408	11	404	12	396
	421		418		415		411		408		404	
401	18	418	17	415	16	411	15	407	14	404	13	396
	421		418		414		411		407		403	
400	19	417	20	414	21	410	22	407	23	403	24	395
	420		417		414		410		406		403	
400	30	417	29	413	28	410	27	406	26	402	25	395
	420		417		413		409		406		402	
399	31	416	32	413	33	409	34	405	35	402	36	395
	394		394		394		393		393		393	

T.3N R.6W 2nd Mer.

	429		428		428		428		427		427	
431	6	449	5	445	4	441	3	438	2	434	1	427
	449		444⁵ 449³		444		441		437		434	
431	7	448	8	444	9	440	10	437	11	434	12	426
	448		448		444		440		437		434	
430	18	447	17	443	16	440	15	437	14	433	13	426
	449		443⁵ 447³		443		436⁵ 440³		436		433	
430	19	447	20	442	21	439	22	436	23	433	24	426
	446		446		442		439		436		432	
429	30	446	29	442	28	438	27	435	26	432	25	425
	446		445		441		438		435		432	
429	31	445	32	441	33	438	34	435	35	432	36	425
	425		424		424		424		423		423	

The figures on the lines refer to the page.

393

Township N. 2. North of Range N. 6 West 2nd Mer. Indiana
Ch. Cr.

South Boundary

West Out to South Boundary of sec. 36. T. 2. N. R. 6 W.
25.75 To a W Oak. 16 in. diam. stands in the river.
40.00 Set a 7/8 sap post from which a
S. Oak. 12 in. diam. bears N 30 W 18 links out;
do. 12 " " " S 85 E 35 " "
69.00 To a Branch 30 links out, corner S 45 E.
80.00 Set a post for the cor of sec. 35 & 36 from which a
W Oak. 20 in. diam. bears N 5 W 47 links out; & 3
Red Oak 23 " " " N 24 E 53 " "
Load upland; Limbo Oak. & Hickory

West Out to South Boundary of sec. 35. T. 2. N. R. 6 W.
19.30 To a W Oak. 24 in. diam. stands in the river.
29.90 " " Branch 3 links out, corner N 30 W
40.00 Set a 7/8 sap post from which a
W Oak. 34 in. diam. bears N 44 E 30 links out; & 3
do. 12 " " " N 23 W 2 " "
64.11 To a W Oak. 18 in. diam. in the river.
69.10 To a Brook. 4 links out, corner S.
80.00 Set a post for the cor of sec. 34 & 35 from which a
W Oak. 10 in. diam. bears S 8 E 38 links out; & 3
do. 34 " " " N 46 W 58 " "
Load upland; Limbo W & R Oak. & Hickory.

West Out to South Boundary of sec. 34. T. 2. N. R. 6 W.
22.50 To a Branch. 10 links out, corner S 30 E.
33.00 To a W Oak. 24 in. diam. stands in the river.
40.00 Set a 7/8 sap post from which a
W Oak. 18 in. diam. bears N 55 W 15 links out; & 3
Poplar 30 " " " S 13 E 66 " " "
63.00 To a Poplar 12 in. diam. in the river
71.50 " " Brook 8 links out, corner South.

T. No 2. N.R. No 6 W. 2nd Mer. Ind.

80.00 Set a post for the cor of sec. 33 & 34. From which a
W Oak. 10 in. diam. bears N 77 W. 26 links out; & 5
do. 20 " " " S 78 E. 65 " "
Sands hard bottom; & Wplana; Timber Oak & Hickory

Wash On the South Boundary of sec. 33. T. 2. N.R. 6 W.

17.50 To a B. Oak. 30 in. diam. Stands in the line.

40.00 Set a post from which a

W Oak. 18 in. diam. bears N 8 W. 21 links out; & 5

do. 7 " " " S 69 W 17 " "

68.75 To a B. Oak. 25 in. diam. Stands in the line.

77.50 To a Brook 10 links wide, Comes S.

80.00 Set a post for the cor of sec. 32 & 33. From which a

Elm. 8 in. diam. bears N 67 W. 14 links out; & 5

R. Oak. 12 " " " S 48 E. 36 " "

Sands hard Timber Oak & Maple.

Wash On the South Boundary of sec. 32. T. 2. N.R. 6 W.

15.00 To a Brook. 3 link wide. Comes S 48 E.

21.18. To a Red. Oak. 30 in. diam. Stands in the line.

40.00 Set a post from which a

W Oak. 14 in. diam. bears S 48 E. 11 links out; & 5

do. 9 " " " N 78 W 38 " "

55.00 To a B. Oak 30 in. diam. in the line.

71.20 " " do. 20 " " " " "

80.00 Set a post for the cor of sec. 31 & 32 from which a

B Oak. 33 in. diam. bears N 29 E. 25 links out; & 5

do. 15 " " " S 9 W. 16 " "

Sands hard; Timber B Oak, & Hickory.

Wash On the South Boundary of sec. 31. T. 2. N.R. 6 W.

40.00 Set a post in barren land

62.25 To a B. Oak 30 in. diam. in the line.

T. N. 2. N. R. N. 6 W. 2nd Mer. Ind.

79.90 To Jackson's corner post: T. 18 N. R. 6 W. 2nd Mer. Ind.
Land here Timber mostly Oak. Jan. 23. 1805.

East Boundary

Anth On the East Boundary of Sec. 36. T. 2. N. R. 6 W.
6.40 To a Oak. 36 in. diam. Stands in the line.
19.00 " " Brook. 4 links wide, comes N.
32.65 " " Oak. 20 in. diam. Stands in the line.
40.00 Set a post from which
Oak. 10 in. diam. bears N 75 E 15 links dist
Lo. 9 " " " S 87 W. 40 " "
43.75 To a Brook. 4 links wide, comes N 50 W.
71.10 To " Lo. 3 " " " W.
74.11 " " Oak. 18 in. diam. Stands in the line.
80.00 Set a post for the cor. of sec. 25 & 36. From which
Oak. 20 in. diam. bears N 64 E. 11 links dist; or
Lo. 12 " " " N 52 W. 17 " "
Land here; Timber Oak, & Hickory

Anth On the East Boundary of Sec. 25. T. 2. N. R. 6 W.
4.40 To a Brook. 4 links wide, comes N.
33.50 To a Lo. 3 " " " N 70 W.
40.00 Set a post from which
Oak. 30 in. diam. bears S 58 W. 31 links dist; or
Hickory 12 " " " N 8 E. 8 " "
55.00 To a Oak. 18 in. diam. Stands in the line.
71.61 To a Oak. 22 in. diam. Stands in the line.
80.00 Set a post for the cor. of sec. 24 & 25. From which
Oak. 23 in. diam. bears N 53 W. 18 links dist; or
Lo. 10 " " " N 73 E. 50 " "
Land here; Timber Oak & Hickory.

Anth On the East Boundary of sec. 24. T. 2. N. R. 6 W.

T. N. 2 N.R. N. 6 W. 2nd Mm. Ind.

12.50 To a W Oak 23 in diam in the line
 21.30 " " do 22 " " " "
 40.00 Set a 7th sap post from which
 W Oak. 12 in. diam. bears N 30 W. 59 links dist; 75
 do. 18 " " " S 48 E. 61 " "
 66.00 To a W Oak. 36 in diam stands in the line.
 80.00 Set a post for the cor of sec 13 & 24 from which
 W Oak. 22 in diam bears N 37 W. 20 links dist; 75
 B Oak. 15 " " " S 27 E. 27 " "
 Gauge his in her ridges; limits Oak & Hickory.

North On the East Boundary of sec. 13. T. 2. N. R. 6 W.
 37.00 To a Brook 3. links mid, course N 40 W.
 40.00 Set a 7th sap post from which
 W Oak. 27 in. diam. bears N 80 W. 13 links dist; 75
 do. 10 " " " S 33 W. 38 " "
 57.00 To a Brook. 35 links mid, course N 30 W.
 68.30 " " do. 15 " " " West
 71.75 " " Poplar. 36 in diam. stands in the line.
 80.00 Set a post for the cor of sec. 12 & 23. from which
 Elm. 7 in. diam. bears N 77 W. 10 links dist; 75
 Poplar. 22 " " " S 20 W. 43 " "
 Gauge her ridges limits Oak, Poplar, Hickory

North On the East Boundary of sec. 12. T. 2. N. R. 6 W.
 27.50 To a W Oak. 20 in. diam. stands in the line.
 40.00 Set a 7th sap post from which
 W Oak. 22 in. diam. bears N 62 W. 33 links dist; 75
 do. 24 " " " S 21 E. 49 " "
 55.50 To a Poplar 48 in. diam. stands in the line
 68.50 To a Brook. 3 links mid, course N 40 W
 80.00 Set a post for the cor of sec. 1 & 12 from which
 W Oak. 23 in. diam. bears N 88 W. 20 links dist; 75

397

T. N. 2. N.P. N. 6 W. 2nd (Mns) Ind.

T. Oak. 21 m. dist. from S 82 E 58 links north;
 Same to land; Timber Oak,
 Monday. Jan'y 8th 1805

North On the East Boundary of sec. 1. T. 2 N.P. 6 W.
 22.30 To N.P. Oak. 30 m. dist. stands in the line.
 40.00 Set a post & a post from which
 T. Oak. 20 m. dist. from N 14 W. 21 links north; 70
 No. 22 " " " S 9 E 9 " "
 73.40 To N.P. Oak. 26 m. dist. stands in the line.
 80.00 Set a post for the cor of sec. 1. T. 31 N 36. T. 2 N.P. 5
 5 + 6 W from which
 N Oak. 24 m. dist. from N 11 E 20 links north; 75
 T. Oak. 30 " " " S 47 E 38 " "
 Same to land; Timber Oak & 5. Tuesday. Jan'y 29. 1805.

North Boundary.

Each On a Random line between T. 2 + 3 N.P. 6 W.
 Intersect the Range line between N. 5 + 6 W. 35 links
 North of the post cor of sec. 2 + 3 N. N. 5 + 6 W
 Wednesday. Jan'y 30. 1805.

West On the true line On the South Boundary of sec. 36.
 T. 3 N.P. 6 W.
 11.75 To a W Oak. 20 m. dist. stands in the line.
 40.00 Set a post & a post on the true line from which
 Meik 7 20 m. dist. from N 80 W 17 links north; 75
 No 12 " " " N 75 E 18 " "
 80.00 Set a post for the cor of sec. 35 + 36 from which
 N Oak. 8 m. dist. from N 45 E 39 links north; 73
 N. Oak. 7 " " " S 56 W 41 " "
 Same to land; Timber Oak, Meik 7.

T. N. 2. N.R. N. 6 W. 2nd Mer. Sec.

West Cut the line into Cut the South Branch of co. 35.
T. N. 2 N.R. N. 6 W.

32.05 To a Branch 5 the mile, Come N 20 W

40.00 Set a post from which
Red Oak 23 in. diam. trees N 37 W. 160 links north; 13
Elm. 20 " " " S 79 E. 95 " "

75.50 To a Branch 10 links wide, Come N 30 W.

80.00 Set a post for the cor of co. 34 & 35 from which
Spruce Oak 18 in. diam. trees S 36 W. 85 links north; 13
Elm. 12 " " " S 44 E 90 " "
Sand hole barrens; Scattering Oak & Hickory.

West Cut the line into Cut the South Branch of co. 34.
T. 3. N.R. 6 W.

29.00 To a Hickory 10 in. diam. in the line.

40.00 Set a post from which
Oak 10 in. diam. trees N 60 W. 40 links north; 13
Hickory 9 " " " S 44 W. 50 " "

74.95 To a Hickory 18 in. diam. stands in the line.

80.00 Set a post for the cor of co. 33 & 34. from which
Oak 12 in. diam. trees N 57 E. 13 links north; 13
H. 13 " " " " S 64 W. 23 " "
Sand hole barrens Timber Oak, & Hickory.

West Cut the line into Cut the South Branch of co. 33.
T. 3. N.R. 6 W.

16.90 To a Oak 20 in. diam. in the line

40.00 Set a post from which
Spruce Oak 19 in. diam. trees S 44 E 45 links north; 13
Elm. 18 " " " " S 45 E. 83 " "

71.15 To a Branch 25 the mile trees S 40 W.

80.00 Set a post for the cor of co. 32 & 33. from which
Red Oak 20 in. diam. trees N 26 W. 22 links north; 13

399

T. N. 2. N.R. N. 6. W. and M. and S.

Red Oak. 28 m. dir. bend. S 64 E. 24 links dir.;
Sands hole barrens. Limbs Oak & Oak.

West On the line Oak South Boundary of sec. 32.
T. 2. N.R. 6. W.

30.75 To a Brook. 10 m. dir. bend, Course S 10 E.

40.00 Set a post from which

Heads 7 m. dir. bend. S 59 E. 7 links dir.; to

Ho. 10 " " " S 71 W. 11 " "

70.85 To a Head 15 m. dir. in the line.

80.00 Set a post for the cor. of sec. 31 & 32 from which

Heads 7 m. dir. bend. S 39 E. 67 links dir.; to

Ho. 6 " " " S 87 W. 86 " "

Sands hole barrens; Limbs Oak, Heads.

West On the line Oak South Boundary of sec. 31.
T. 2. N.R. N. 6. W.

9.75 To a Head 12 m. dir. stands in the line.

40.00 Set a post from which

Oak. 12 m. dir. bend. S 47 W. 66 links dir.; to

Ho. 10 " " " S 45 W. 55 " "

51.00 To a P. Oak. 12 m. dir. in the line.

58.00 " do Oak. 20 " " " " "

76.25 To a Brook 10 links min; Course S 15 W.

79.75 To the cor. of T. 2 & 3. N.R. 6 & 7 W.

Sands hole barrens. Jan^y 31st 1865.

West Boundary

North On the East Boundary of sec. 36. T. 2. N.R. 7 W.

20.65 To a Jack Oak. 10 m. dir. in the line

40.00 Set a post from which

P. Oak. 22 m. dir. bend. S 30 E. 16 links dir.; to

Ho. 33 " " " S 70 W. 32 " "

T. N. 2. N.R. N. 6 W. 2nd Mer Ind:

44.00 To a Poplar 20 in. dia: stands in the line
 70.00 " " Swamp Oak 18 " " " " "
 80.00 Set a post for the cor of sec. 25 & 36 from which on
 Elm. 12 in. dia: bears N 43 E. 53 links each; & 5
 Ho. 23 " " " N 40 W. 55 " "
 Sunde hole and part bottom met; Sunde Oak, Ash,
 & Gum &c.

North Oak East Boundary of sec. 25, T. 2. N.R. 7 W.
 6.45 To a W Oak 36 in. dia: stands in the line.
 7.37 " " Aseruk. 55 links in, comes N 20 W.
 18.75 " " Red Oak 30 in. dia: in the line.
 40.00 Set a post from which
 Elm. 13 in. dia: bears S 71 W. 10 links each; & 5
 W Oak 10 " " " S 47 E. 31 " "
 72.86 To a B Oak. 14 in. dia: bears in the line.
 80.00 Set a post for the cor of sec. 24 & 25 from which
 B Oak 34 in. dia: bears S. 55 E. 9 links each; & 5
 Hick 12 " " " N 69 W. 10 " "
 Sunde hole bottom; part oak, Sunde Oak, Hick &c
 Elm.

North Oak East Boundary of sec. 24, T. 2. N.R. 7 W.
 22.00 To a B. Oak - in. dia: stands in the line.
 40.00 Set a post from which
 Red Oak 6 in. dia: bears N 60 W. 10 links each; & 5
 Ho. 7 " " " S 25 W. 33 " "
 65.25 To a B. Oak. 18 in. dia: stands in the line.
 80.00 Set a post for the cor of sec. 13 & 24 from which
 W Oak. 20 in. dia: bears N 67 E. 6 links each; & 5
 Ho. 18 " " " N 52 W. 13 " "
 Sunde hole bottom. Sunde Oak & Hick &c

North
10.50 Cutth East Boundary of Co. B. T. D. N.R. 7 W.
To a P. Oak. 20 in. dia. Stands in the line.
33.30 Gum. 12 in. dia. Stands in the line.
40.00 Set $\frac{1}{4}$ a post from which a
W. Oak. 12 in. dia. bears N 68 E. 45 links out; & 9
do. 14 " " " N 21 W. 12 " "
50.00 To a P. Oak. 12 in. dia. Stands in the line.
52.06 " " Birch 4 links out, comes W.
68.13 To a P. Oak. 21 in. dia. Stands in the line.
80.00 Set a post for the cor of lot. 12 & 13. from which a
W. Oak. 20 in. dia. bears S 34 E. 4 links out; & 9
do. 22 " " " N 39 E. 53 " "
Sunde hole; Limbo Oak, & Hickory; Sunday Jan. 29. 1805.

North
29.75 Cutth East Boundary of Sw. 12 T. D. N.R. 7 W.
To a P. Oak. 22 in. dia. Stands in the line.
40.50 Set a $\frac{1}{4}$ a post from which a
W. Oak. 23 in. dia. bears S 24 E. 54 links out; & 9
do. 18 " " " N 36 E. 41 " "
50.75 To a P. Oak. 30 in. dia. Stands in the line.
50.00 Set a post for the cor of lot. 1 & 12 from which a
W. Oak. 20 in. dia. bears N 32 E. 41 links out; & 9
W. Oak. 12 " " " S 46 W. 56 " "
Sunde hole; Limbo Oak, & Hickory.

North
15.57 Cutth East Boundary of Sec. 1. T. D. N.R. 7 W.
To a Hickory 12 in. dia. Stands in the line.
20.50 To a Oak. 50 links out, comes N 70 W.
34.00 To a Branch 25 links out, comes S 20 E.
34.75 To a Birch 22 in. dia. Stands in the line.
40.00 Set a $\frac{1}{4}$ a post from which a
W. Oak. 12 in. dia. bears N 82 E. 26 links out; & 9
Gum. 8 " " " S 17 E. 22 " "

T. N. 2. N.R. N. 6. W. 2nd Mer. Sud.

- 48.11 To a B. Oak 14 in. dia. stands in the line.
 75.00 " " Brook 8 links wide, corner S 20 W.
 80.00 Set a post for the cor. of Lat. 16. 31 & 36. T. 2 & 3 N.
 R. 6 & 7 W. from which
 W. Oak. 21 in. dia. beams. East. 10 links wide; & 3
 Swamp Oak 15 " " N 41 W. 84 " "
 Sandbarrens & wet grounds; Limbs Oak & Hickory

Subdivisions.

- North Return Lat 35 & 36. T. 2. N.R. 6 W. Jan. 31. 1805.
 7.00 To a Branch. 25 links wide, corner S 30 E.
 9.00 " " Red Oak. 30 in. dia. stands in the line.
 40.00 Set a post from which
 Red Oak. 12 in. dia. beams. N 9 W 35 links wide; & 3
 W Oak. 7 " " " S 65 W. 20 " "
 46.50 To a B. Oak. 20 in. dia. stands in the line.
 80.00 Set a post for the cor. of Lat. 25. 26. 35 & 36. from which
 Gum. 36 in. dia. beams. N 73 E. 36 links wide; & 3
 W Oak. 12 " " " S 73 W. 34 " "
 Level Oak land.

- East Return Lat 25 & 36. T. 2. N.R. 6 W.
 24.00 To a Brook. 4 links wide, corner S 15 W.
 40.12 Set a post for the cor. of Lat. 25 & 36. from which
 Gum 7 in. dia. beams. N 75 W. 16 links wide; & 3
 W Oak. 8 " " " S 8 W. 51 " "
 64.00 To a Brook. 10 links wide, corner S.
 80.24 Intersub. the East Boundary at the post cor. of Lat.
 25 & 36. Sand barrens Limbs Oak,

- North Return Lat 25 & 26. T. 2. N.R. 6 W.
 5.25 To a Branch. 10 links wide, corner S 40 W.
 40.00 Set a post from which

403

T. D. M. R. No 677. 2nd Mm. Sud.

W Oak. 34 in. diam. beam. N 25 W. 37 links each; 83
 Gum. 12 " " " S 41 W. 14 " "
 80.00 Set a post for the cor of lot. 23, 24 25 & 26 from which
 W Oak. 10 in. diam. beam. N 83 E. 44 links each; 83
 Ho. 9 " " " S 85 W. 47 " "
 Sande low & ridgey Timber Oak,

East Return Sur. 24 & 25. T. D. M. R. 677.
 39.50 Set the 74th to post at ar. dish from which a
 Red Oak. 8 in. diam. beam. S 33 W. 3 links each; 83
 W. Oak 7 " " " N 85 E. 26 " "
 60.00 To a Brook. 8 links wide, Corner S 50 W.
 79.00 Intersect the East Boundary at post cor of lot. 24 & 25
 Sande hilly; Timber Oak,

West Return Sur. 23 & 24. T. D. M. R. 677.
 4.20 To a Red Oak. 18 in. diam. stands in the line.
 6.87 " " Branch. 6 links wide, Corner W.
 40.00 Set a 74th to post from which a
 W. Oak. 20 in. diam. beam. N 14 W. 28 links each; 83
 Ho. 30 " " " S 59 E. 5 " "
 66.65 To a W Oak. 20 in. diam. stands in the line.
 80.00 Set a post for the cor of lot. 13, 14, 23 & 24 from which
 W Oak. 20 in. diam. beam. N 85 E. 60 links each; 83
 Ho. 12 " " " N. 51 W. 55 " "
 Sande low ridgey; Timber Oak,

East Qua Ran down line between Sur. 13 & 24. T. D. M. R. 677.
 33.00 To a Branch. 3 links wide, Corner S 35 E.
 39.50 Set the 74th to post at ar. dish from which a
 W Oak. 21 in. diam. beam S 5 W. 20 links each; 83
 Ho. 19 " " " S 41 E. 20 " "
 79.00 Intersect the East Boundary at the post cor of lot. 13 & 24

T. N. 2. N.R. No 67. 2nd Mer. Ind.

Land lot ridge; Timber Oak. Feb. 1st 1875.

- North Between Secs 13 & 14. T. 2. N.R. 67.
- 8.50 To a W Oak, 20 in. diam. Stands in the line.
- 39.75 " " Branch. 15 links in, Come W
- 40.00 Set ath a post from which a
- Sugar. 10 in. diam. beam. S73 W. 14 links in; 83
- Do. 10 " " " S27 W 30 " "
- 72.75 To a Red Oak, 20 in. diam. Stands in the line.
- 80.00 Set a post for the cor of Sec. 11. 12. 13 & 14. from which a
- W Oak, 20 in. diam. beam. S40 E. 6 links in; 89
- Do. 14 " " " N59 W. 23 " "
- Quadrant; Timber Oak. 5.

- East Between Secs 12 & 13. T. 2. N.R. 67.
- 15.25 To a Branch, 5 links in, Come S30 W.
- 40.00 Set the 7th a post at cor. dist from which a
- W Oak, 35 in. diam. beam. N35 E. 34 links in; 83
- Do. 27 " " " S57 E. 29 " "
- 80.00 Intersub the East Boundary at the post cor of Secs 12 & 13.
- Quadrant ridge; Timber Oak.

- North Between Secs 11 & 12. T. 2. N.R. 67.
- 40.00 Set ath a post from which a
- W Oak, 20 in. diam. beam. N67 E. 12 links in; 83
- Do. 21 " " " N68 W. 12 " "
- 42.50 To a Brook 3 links in, Come N35 W
- 57.00 " " W Oak. 24 in. diam. Stands in the line.
- 80.00 Set a post for the cor of Sec. 1. 2. 11 & 12 from which a
- Oak. 14 in. diam. beam. N52 E. 40 links in; 83
- W Oak. 22 " " " S35 W 72 " "
- Quadrant; Timber Oak. Neck Map 5.

405

T. N. D. N.R. No 6 W. and (Mr. Laid?)

East Return Lat 1 17 12 J 2 N.R. 6 W.
 38.00 Iron Brook. 5 links min, Course N 20 W.
 39.37 1/2 Set a 74 rapost at. dist. on the line from which
 Maple. 12 in. diam. bears N 30 E. 19 links dist; 15
 Ls. 13, " " S 65 E. 20 " "
 45.25 Iron Brook. 4 links min, Course N 30 W.
 79.25 Intersect the East Boundary at the post or p.w. 1 17 12
 Sande bar; Limbs Oak, Hickory & Maple.

North Return Lat 1 52 J 2 N.R. 6 W.
 6.00 Iron Oak. 16 in. diam. Stands on the line.
 46.00 Set a 74 rapost from which
 Hickory 10 in. diam. bears S 10 W. 30 links dist; 15
 W Oak. 10 " " " S 57 W. 56 " "
 49.12 Iron Oak. 18 in. diam. Stands on the line.
 64.50 " " Iron Brook 5 links min, Course W.
 80.00 Intersect the N Boundary (at post or p.w. 3 57 36.
 J 3 N.R. 6 W).
 Sande bar barrens.

North Return Lat 34 & 35. J 2 N.R. 6 W.
 13.00 Iron Poplar. 40 in. diam. Stands on the line.
 26.00 " " W Oak. 26 in. diam. Stands " " "
 29.00 Iron Brook. 7 links min, Course S 50 W.
 40.00 Set a 74 rapost from which
 Elm. 9 in. diam. bears N 24 E. 16 links dist; 15
 Red Oak. 8 " " " S 7 W. 10 " "
 57.69 Iron Oak 15 in. diam. Stands on the line.
 80.00 Set a post for the cor off Lat. 26. 27. 34 & 35. from which
 W Oak. 14 in. diam. bears N 49 W. 12 links dist; 15
 Ls. 28 " " " S 1 E. 36 " "
 Sande bar ridges; post barrens Limbs Oak,

T. N. 2. N. R. N. 6 W. 2nd Mer. Sud. a.

Cash Return Sur. 26 & 35 T. 2. N. R. 6 W.
 40.25 Set the 1/4 section at av. dist from which a
 W Oak. 20 in. diam. trees. S 46 W. 11 links each; & 5
 L. 14 " " " S 36 E. 46 " "
 42.00 To a Brook 15 links mid, Course South.
 60.50 " " 1/2 Brook 6 links mid, Course S.
 75.75 " " L. 10 " " " S 40 W.
 80.50 Intersect the N & S line 20 links South of the first cor.
 of sur 25, 26, 35 & 36.
 Land to be made Timber Oak & Elm.

Arch Return Sur. 26. & 27. T. 2 N. R. 6 W.
 40.00 Set a 1/4 section from which a
 W Oak. 20 in. diam. trees. N 37 W. 46 links each; & 5
 L. 22 " " " S 35 W. 34 " "
 52.58 To a W Oak. 20 in. diam. stands in the line.
 59.18 " " L. 28 " " " " " "
 80.00 Set a post for the cor of sur 22, 23, 26 & 27. from which a
 W Oak. 18 in. diam. trees. S 20 E. 45 links each; & 5
 1/2 Oak. 22 " " " N 44 E. 62 " "
 Land to be Timber Oak, & Hickory.

Cash Return Sur. 23. & 26. T. 2 N. R. 6 W.
 10.50 To a Brook 3 links mid, Course S 41 E.
 25.00 " " L. 6 " " " S.
 40.50 Set a 1/4 section at av. dist from which a
 W Oak. 10 in. diam. trees. N 5 E. 58 links each; & 5
 W Oak. 12 " " " S 72 W. 28 " "
 74.00 To a Brook 8 links mid, Course S 40 W.
 81.00 Intersect the N & S line 20 links North of the first cor.
 of sur 23, 24, 25 & 26.
 Land to be, Timber Oak,

Feb 74th 1805.

North Return Dec. 22 & 23. T. D. N. R. 6 W.
 16.68 To a W Oak 30 in. diam. stands in the line.
 40.00 Set a 1/4 capost from which a
 Maple 8 in. diam. bears. N 13 E. 19 units dist; 79
 L. O. 20 " " " S 11 E. 20 " "
 51.00 To a W Oak 22 in. diam. in the line.
 75.80 " " 93 Oak 30 " " " " "
 80.00 Set a post for the cor off Dec. 14. 15. 22 & 23 from which a
 W Oak 27 in. diam. bears. S 60 W. 67 units dist; 73
 L. O. 24 " " " S 62 E. 6 " "
 Lande hnd; Limits Oak, Hickory, and Maple.

East Return Dec. 14 & 23. T. D. N. R. 6 W.
 25.00 To a Brook 8 units mid, corner N 20 W.
 40.50 Set a 1/4 capost at an. dist from which a
 W Oak 24 in. diam. bears. S 41 E. 50 units dist; 73
 L. O. 12 " " " N 46 W. 16 " "
 61.85 To a Brook 4 units mid, corner N 30 W.
 81.00 Set out the N. S. line 10. 11. 14. 15. 22. 23. 24. from which a
 post cor off Dec. 13. 14. 23
 & 24. Lande hnd mid.

North Return Dec. 14 & 15. T. D. N. R. 6 W.
 15.75 To a Branch 10 units mid, corner W.
 20.55 " " W Oak 24 in. diam. stands in the line.
 40.00 Set a 1/4 capost from which a
 W Oak 12 in. diam. bears. S 29 E. 20 units dist; 73
 73 Oak 20 " " " N 54 E. 35 " "
 44.00 To a Branch 20 units mid, corner N 50 W.
 80.00 Set a post for the cor off Dec. 10. 11. 14. & 15 from which a
 W Oak 22 in. diam. bears. N 65 E. 29 units dist; 73
 L. O. 10 " " " S 41 E. 47 " "
 Lande hnd; Limits Oak & Hickory.

T. N. 2. N. R. No 672nd Min. Sud.

Tuesday, Feb 7 6. 1875.

East Return Sud 11 & 14 T 2 N. R. 671.
 12.00 To a Branch. 4 links min, Corner T 20 W.
 40.00 Set the 1/4 post at av. dist on the line from which
 W. Oak 24 in. diam. bears. S 87° W. 68 links dist; 13
 " 25 " " " S 35° W 10 " "
 80.00 Intersect the N & S line at the post cor of sec. 11. 12 & 13
 & 14. Guide hole; Timber Oak.

North Return Sud. 10. & 11. T 2 N. R. 671.
 21.00 To a W. Oak. 12 in. diam. stands in the line.
 28.30 " " Branch. 4 links min, Corner W.
 40.00 Set a 1/4 post from which
 W. Oak 20 in. diam. bears. N 42° E. 35 links dist; 15
 W. Oak. 18 " " " N 58° W 19 " "
 50.00 To a Brook. 5 links min, Corner W.
 60.00 " " Sec. 11 in. diam. in the line.
 80.00 Set a post for the cor of sec. 2, 3, 10 & 11. From which
 W. Oak 24 in. diam. bears. N. 8° E. 50. links dist; 15
 W. Oak. 23 " " " S. 26° E. 13 " "
 Guide hole; Timber Hemlock, Oak & Maple.

East Return Sud. 2 & 11. T 2 N. R. 671.
 16.50 To a Branch. 4 links min, Corner N 30° W.
 40.50 Set the 1/4 post at av. dist from which
 Elm. 12 in. diam. bears. N 52° E. 8 links dist; 15
 Oak. 10 " " " S 44° E. 37 " "
 44.00 To a Brook. 5 links min, Corner N 50° W.
 81.00 Intersect the N & S line, 300th ft. of the post cor of. Sec. 1 & 2 11 & 12
 Guide hole; Timber Oak & Hemlock

North Return Sud 2 & 13. T 2 N. R. 671.

409

T. N. 2. N.R. N. 6 W. 2nd Mer. Ind. 5

11.00	Top B. Oak, 18 in. diam. Stands in the line.
40.00	Set a post from which a
	W Oak, 24 in. diam. bears S 62 W. 12 links each; 83
	Lo. 20 " " " S 24 E 40 " "
44.40	Top Brook. 6 links mid, course S 20 E.
62.50	" " Hick 18 in. diam. Stands in the line.
X	X
79.00	Intersect the N. 30 W. at 70 links West of the post cor.
	Set 34 & 35. T. 3 N.R. 6 W. made set apart for the
	cor of lot 2 & 3 from which a
	Champ Oak, 12 in. diam. bears N 29 W. 64 links each; 83
	Lo. 18 " " " S 28 E. 70 " "
	Land chert and post burrows. Timber Oak & Hick
Brook	Bottom Lot 33 & 34 T. 2. N.R. 6 W.
15.00	Top Brook. 6 links mid, course S 20 E.
40.00	Set a post from which a
	Y. Oak, 18 in. diam. bears N 52 W. 35 links each; 83
	W Oak, 10 " " " S 48 E 70 " "
51.56	Top B. Oak, 30 in. diam. Stands in the line.
80.00	Set a post for the cor of lot 27, 28, 33 & 34 from which a
	Y. Oak, 20 in. diam. bears N 29 W. 33 links mid, 83
	Chert. 8 " " " S 15 E 30 " "
	Land chert. Timber Oak,
East	Return Lot 27 & 34 T. 2. N.R. 6 W.
11.50	Top Brook. 3 links mid, course S 10 E.
39.75	Set the 74 post at cor. each on the line from which a
	W Oak, 8 in. diam. bears S 15 W. 6 links each; 83
	Lo. 10 " " " N 31 W. 30 " "
36.00	Top Branch. 4 links mid, course S 20 E.
44.50	" " Lo. 8 " " " S 15 W.
79.50	Intersect the N. 30 W. 15 links South of the post cor.

T. N. 2. N. R. N. 6 W. 2nd (M. S. 1st.)

26, 27, 34 & 35.

Saunderland; Timber Oak, 1/2.

North Between Sec. 27 & 28. T. 2. S. R. 6. W.
 25.50 To a B. Oak 20 in diam. stands in the line
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 W. Oak 14 in diam. bears N. 11. W. 6. links dist & a
 " No. 7. " " " S. 60. W. 37. " "
 34.37 To a W. Oak 15 in diam. stands in the line.
 56.87 " " Branch 4 links wide; converse W.
 80.00 Set a post cor. of Sec. 21, 22, 27 & 28. from which a
 W. Oak 30 in diam. bears S. 45 W. 53 links dist. & a
 W. Oak 36 " " S. 87 E. 52 " "
 Saunderland; Timber Oak.

East Between Sec. 21 & 28. T. 2. N. R. 6 W.
 14.50 To a Branch 15 links wide, comes S. 15 W.
 40.00 Set the 1/4 post from which a
 W. Oak 18 in diam. bears S. 25 E. 13 links dist. & a
 W. Oak 10 " " " S. 59 W. 44 " "
 80.00 Intersect the N. 1/2 line 30 links South of the post cor.
 of Sec. 21, 22, 27 & 28.
 Saunderland; Timber Oak, Hickory & Maple.

East Between Sec. 22 & 27. T. 2. N. R. N. 6 W.
 40.00 Set the 1/4 post at av. dist on the line from which a
 W. Oak 21 in diam. bears S. 25 W. 35 links dist. & a
 W. Oak 38 " " " S. 47 E. 34 " "
 80.00 Intersect the N. 1/2 line at the post cor. of Sec. 24, 25, 26,
 & 27. Saunderland; Timber Oak.

North Between Sec. 21 & 22. T. 2. N. R. 6 W.
 15.00 To a W. Oak 18 in diam. stands in the line.

17.00 To a Branch. 5 the side. Corner 550 77.
 33.00 " " La 6 " " " 560 77.
 40.00 Get a 74 support from which
 W Oak. 22 in. dia. bend. 529 77.56 links out; 75
 L. 12 " " " 528 77 " "
 73 29 To a B. Oak. 7 in. dia. Stands in the line.
 80.00 Set a post for the cor of sec. 15, 16, 21 & 22 from which
 B Oak. 23 in. dia. bend. 546 40 links out; 76
 L. 20 " " " 535 6.44 " "
 Guide hole; Sinter Oak & Hickory.

East Return Sec 15 & 22 J. 2 N. R. 6 77.
 40.00 Set a 74 support at cor. dist on the true line from which
 W Oak. 12 in. dia. bend. 577 77.22 links out; 75
 Log over 10 " " " 570 6.44 " "
 80.00 Enter at the N 75' line at the post cor of sec. 14, 15, 22
 & 23. Guide his in line ridge; Sinter Oak, Hickory

North Return Sec 15 & 16. J. 2 N. R. 6 77.
 17.08 To a B. Oak. 30 in. dia. Stands in the line.
 40.00 Get a 74 support from which
 W Oak. 13 in. dia. bend. 547 77.73 links out; 75
 L. 12 " " " 571 77.102 4 " "
 55.50 To a B. Oak. 24 in. dia. Stands in the line.
 64.75 " " Brook, 4 links out; Corner 540 77.
 80.00 Set a post for the cor of sec. 9, 10, 15 & 16 from which
 Red Oak. 20 in. dia. bend. 578 77.2 links out; 75
 W. Oak. 16 " " " 521 77.6 " "
 Guide hole Sinter Oak.

East Return Sec 10 & 15 J. 2 N. R. 6 77
 26.75 To a Branch. 4 links out; Corner 525 77
 40.00 Set the 74 support at cor. dist from which

T. N. 2 N.R. N. 6 N. 2nd Mer. Ind. 5

22 Oak. 20 in. diam. beam N51 E. 26 links each; 73
 W Oak. 20 " " " S 27 N. 28 " "
 56.95 To a Branch. 20 links each, Corner N. 55 W
 80.00 Intersect the N & S line at the foot cor of cor. 10. 11. 14 & 15.
 Lands here in ten ridges Timber Oak, Hickory
 Rodney Aug. Feb. 7. 1805.

North Between Sec. 9 & 10. T. 2 N.R. 6 N.
 20.50 To a Branch. 20 links each, Corner N.
 26.50 " " Poplar. 36 in. diam. Stands in the line.
 40.00 Set a 7/8 suspect from which
 W Oak. 22 in. diam. beam S 21 N. 10 links each; 73
 L. 23 " " " N 65 E. 9 " "
 49.50 To a Branch. 10 links each, Corner S 10 E
 53.30 " " Red Oak. 34 in. diam. Stands in the line.
 80.00 Set a post for the cor of cor. 3. 4. 9. & 10 from which
 W Oak. 18 in. diam. beam N 11 E. 13 links each; 73
 L. 10 " " " S 58 E. 20 " "
 Lands here Timber Oak Hickory.

East Between Sec. 3 & 10. T. 2 N.R. 6 N.
 4.50 To a Branch. 4 links each, Corner N 40 W.
 29.28 " " L. 5 " " " N 40 W.
 40.00 Set the 7/8 suspect at an ash from which
 W Oak. 24 in. diam. beam N 34 W. 88 links each; 73
 Hickory 10 " " " S 21 N. 12 " "
 80.00 Intersect the N & S line at the foot cor of cor. 2. 3. 10 & 11.
 Lands here; Timber Oak. Hickory.

North Between Sec. 3 & 4 T. 2 N.R. 6 N.
 9.50 To a Branch. 6 links each, Corner N. 10 W
 27.29 " " W Oak. 36 in. diam. Stands in the line.
 40.00 Set a 7/8 suspect from which

T. No 2. N.P.R. 1677 and Mer. Ind.

Red Oak. 12 in. dia: beam. N44E. 46 links each; 85
 Lg. 10 " " " N37W. 58 " "
 67.00 To a N Oak. 36 in. dia: stands in the river.
 80.00 Intersect the N.P.R. line at 140 links West of the post on of
 Lat. 33° 34' J. 2 N.P.R. 677 and set apart for the cor of
 Lat. 37° 4' from which a
 Red Oak. 10 in. dia: beam. N73E. 25 links each; 85
 Lg. 10 " " " N60W. 17 " "
 Sandbar ridge; Timber Oak & Hickory
 Friday Feb 9. 1805.

North Return Lat. 32° 33' J. 2 N.P.R. 677
 10.00 To a Brook 10 links mid, corner S 5 E.
 20.00 " Lg. 5 " " " S 10 W
 24.90 To a Hickory 16 in. dia: stands in the river.
 40.00 Set a post from which a
 Gum. 7 in. dia: beam. N71E. 5 links each; 85
 Hickory 12 " " " S 6 W. 16 " "
 80.00 Set a post for the cor of Lat. 28. 29. 32° 33' from which a
 W Oak. 20 in. dia: beam. N13W. 16 links each; 85
 Lg. 21 " " " S 72 W. 40 " "
 Sandbar Timber Oak. Hickory

East Return Lat. 28° 33' J. 2 N.P.R. 677.
 40.00 Set a 7/4 post at an. each. from which a
 W Oak. 20 in. dia: beam. S 70 W. 15 links each; 85
 Lg. 12 " " " S 74 E. 25 " "
 80.00 Intersect the N.P.S. line at the post on of Lat. 27. 28 33° 34'
 Feb 9 3rd 1805

North Return Lat. 28° 29' J. 2 N.P.R. 677
 5.20 To a Branch. 5 links mid, corner N 20 W.
 32.50 To a W Oak. 36 in. dia: stands in the river.

T. N. 2. N.R. N. 6 N. 2nd Mer. Ind.

40.00 Set a post from which
Red Oak. 13 in. diam. Stands in the line, N 28° E. 37 links north;
W Oak 24 " " " S 88° W. 31 " "

53.40 To a W Oak. 20 in. diam. Stands in the line,
59.50 " " Brook. 10 links wide, Corner N
72.50 To a post 15 links in. Corner S 45° W
80.00 Set a post for the cor of Sec. 20, 21, 28 & 29 from which,
Red Oak. 24 in. diam. beam. East 23 links north; & 3
Gum. 18 " " " N 57° W 36 " "

Landmark; Tumble Oak, Hickory & Gum.

East Return Sec. 21 & 28. T. 2 N.R. 6 N.
14.50 To a Brook 16 links wide, Corner S 75° W.
40.00 Set a post at cor. with from which
W Oak. 18 in. diam. beam. S 25° E. 13 links north; & 3
Gum. 10 " " " N 59° W 44 " "

80.00 Intersub the NW line 30 links South of the post cor of
Sec. 21, 22, 27 & 28.
Landmark; Tumble Oak, Hickory & Maple.

North Return Sec. 20 & 21. T. 2 N.R. 6 N.
8.00 To a Branch. 6 links wide, Corner S 10° W.
11.51 " " W Oak. 12 in. diam. stands in the line.
40.00 Set a post from which
W Oak. 38 in. diam. beam. N 75° E. 14 links north; & 3
Red Oak. 14 " " " N 77° W 70 " "

54.75 To a Red Oak. 20 in. diam. Stands in the line.
80.00 Set a post for the cor of Sec. 16, 17, 20 & 21. from which,
W Oak. 14 in. diam. beam. S 44° E. 64 links north; & 3
W Oak. 18 " " " S 76° W. 73 " "

Landmark; Tumble Oak, Hickory.

East Return Sec. 16 & 21. T. 2 N.R. 6 N.
22.40 To a Branch 4 links wide, Corner South.

415

T. No 2 N.R. No 6 W. 2nd Mer. Ind.

39.75 Set a 74 support at ar. dist on the true line from which
Henry Lorch, 7 in. dia. beam. N53 E. 7 links and
Elm. 60 " " S 24 E. 11 " "
79.50 Intrench the N & S line at the post cor of lat 15.16
21.522 Sunde hole; Tinto Oak,

North Return Lat 16 & 17 T 2 N.R. 6 W.
36.82 To a W Oak. 10 in. dia. stands on the line,
40.50 Set a 74 support from which on
Oak. 16 in. dia. beam. N 71 E. 20 links and; 85
Maple. 10 " " S 50 E. 5 " "
34.00 To a Branch 40 links and, Corner W
61.10 " " W Oak. 18 in. dia. stands on the line,
80.00 Set a post for the cor of lat. 8. 9. 16 & 17 from which,
W Oak. 15 in. dia. beam. S 43 W. 29 links and; 85
Hemp 10 " " N 88 E. 21 " "
Sunde hole; Tinto Oak. & Hickory.

East Return Lat 9 & 10 T 2 N.R. 6 W.
75 To a Brook 4 links and, Corner S.
31.50 " " No. 20 " " S 50 W.
39.75 Set the 74 support at ar. dist on the true line from which,
W Oak. 20 in. dia. beam S 21 E. 12 links and; 85
La. 19 " " N 14 E. 27 " "
75.00 To a Branch 5 links and, Corner N.
79.50 Intrench the N & S line at the post cor of lat. 9. 10. 15 & 16
Sunde low ridge; Tinto Oak & Hickory

North Return Lat. 8 & 9 T 2 N.R. 6 W.
22.80 To a Brook 5 links and, Corner S 35 E.
30.00 To a W Oak. 22 in. dia. stands on the line.
40.00 Set a 74 support from which on
Red Oak. 18 in. dia. beam. N 97 W. 20 links and; 85

T. N. 2 N.R. N. 6 W. 2nd Mer. Ind.

Red Oak 22 in. diam. bears. S 80 N. 24 links only
 61.80 To W Oak. 18 in diam. Stands in the line.
 80.00 Set a post for the cor of sec. 4, 5, 8 & 9 from which,
 Hick 10 in diam. bears. N 11 E. 10 links only; &
 Do. 12 " " S 22 E. 15 " "
 Sunde level; Timber Oak, & Hick

East Return Sec. 4. & 9. T. 2 N.R. 6 W.
 40.00 Set the 4th post at an. dist on the true line from which,
 Hick 10 in. diam. bears. N 27 E. 12 links only; &
 Do. 12 " " " " S 31 E. 13 " "
 70.00 To a Brook. 5 links wide, Corner N.
 80.00 Intersect the NTS line 20 links North of the post
 cor of sec. 3, 4, 9 & 10
 Sunde level; Timber B. Oak, Thursday. Feb. 8. 1865

North Return Sec. 4 & 5 T. 2 N.R. 6 W.
 34.90 To a Oak 12 in. diam. Stands in the line.
 40.00 Set a 4th post; in spirit level
 59.00 To a Branch. 30 links wide; Corner S 70 N.
 80.00 Intersect the N Boundary at the post cor of sec. 32 & 33
 T. 3 N.R. 6 W. Sunde generally bears a prairie
 Timber Oak & Hick

North Return Sec. 31 & 32 T. 2 N.R. 6 W.
 11.10 To a W Oak. 30 in. diam. Stands in the line.
 16.50 " " Brook 3 links wide, Corner W
 40.00 Set a 4th post from which,
 Red Oak, 22 in. diam. bears. N 24 E. 6 links only; &
 Do. 12 " " " " N 68 W. 29 " "
 59.93 To a Oak 12 in. diam. Stands in the line.
 80.00 Set a post for the cor of sec. 29, 30, 31 & 32 from which,
 B. Oak 30 in. diam. bears. S 73 W. 36 links only; &

T. N. 2 N. R. N. 6 W. 2nd Mer. Ind.

417

Red Oak, 22 in. diam. beam. 570 ft E. 46 ft. high,
Sands hole; Timber Oak, & Hickory.

East Return Lat. 29. 132 T. 2 N. R. 6 W.

12.75 Long Branch. 6 links mile, Course N. 10 W.

14.00 Set a post at av. dist. on the true line from which,
W Oak 12 in. diam. beam. N 40 E 48 links high; 75

L.O. 22 " " " S 22 E 40 " "

46.50 Long Brook. 3 links mile, Course N 20 W.

80.00 Enter cut the N & S line at the post on of lat. 28, 29. 328
33 Sands hole; Timber Oak,

North Return Lat. 29. 130 T. 2 N. R. 6 W.

6.38 Long Creek. 50 links mile, Course W.

18.00 " Poplar 36 in. diam. stands in the line.

40.00 Set a post from which,

W Oak. 12 in. diam. beam. N 67 W. 34 links high; 75

Sum. 8 " " " S 16 W. 32 " "

68.90 Long N. Oak. 30 in. diam. stands in the line.

80.00 Set a post for the cor. of lat. 19. 20. 29 130 from which,

W Oak. 16 in. diam. beam. N 62 E 59 links high; 75

L.O. 10 " " " S 58 W. 26 " "

Sands hole barrens; Timber Oak,

East Return Lat. 20 129. T. 2 N. R. 6 W.

40.00 Set a post at av. dist. on the true line from which
Sum. 18 in. diam. beam. N 39 E 36 links high; 75

W Oak. 12 " " " N 48 E 46 " "

58.50 Long Brook. 50 links mile, Course S 40 W

80.00 Enter cut the N & S line at the post cor. of lat. 20. 21.

28 129 Sands hole Timber Oak & Maple.

North Return Lat. 19 120 T. 2 N. R. 6 W.

T. N. 2. M. R. N. 6 W. 2nd Mer. Sud;

- 40.00 Set a post in burrows. no trees
 80.00 Set a post for the cor. of sec. 17. 18. 19. & 20 from which,
 Red Oak. 10 in. diam. trees. S 89 W. 13 links each; & 3
 W. Oak. 33 " " " S 58 E. 60 " "
 Land generally. barren

- East Return Sec. 17 & 20 T. 2 N. R. 6 W
 18.35 To a Branch. 5 links mid, Course S 30 E.
 36.50 " " Do. 40 " " S 15 W.
 39.75 Set a post at av. dist from which,
 Elm. 7 in. diam. trees. S 33 W. 12 links each; & 3
 Do. 15 " " " N 36 W 31 " "
 79.50 Intersect the N & S line 30 links North of the post cor.
 of sec. 16. 17. 20 & 21.
 Land lies in low ridges; some bottom; Timber
 Oak Elm. & Hickory

- North Return Sec. 17 & 28 T. 2 N. R. 6 W
 3.93 To a Hickory 12 in. diam. stands on the line.
 14.59 " " Brook. 4 links mid, Course N 40 W.
 40.00 Set a post from which,
 Red Oak 11 in. diam. trees. N 25 W 34 links each; & 3
 Elm. 10 " " " S 8 E. 32 " "
 46.25 To a B. Oak. 36 in. diam. stands on the line.
 80.00 Set a post for the cor. of sec. 7. 8. 17. & 18 from which,
 B. Oak. 22 in. diam. trees. N 19 W. 64 links each; & 3
 W Oak. 26 " " " N 57 E. 80 " "
 Land low ridges; Timber Oak Hickory

- East Return Sec. 8 & 17, T. 2 N. R. 6 W
 6.00 To a Brook 4 links mid, Course N
 39.60 Set a post at av. dist on the line from which,
 W Oak. 18 in. diam. trees. N 47 E. 67 links each; & 2

63.00 79.20 79. Oak. 32 in. dia. beam. 9256-35 links each
To a Branch. 6 links each, comes 9
Inter cut the N & S line at the post cor of sec. 8. 9. 16. & 17.
Sands low ridge Timber Oak & Hick

North Return Sec. 7 & 8 T. 2 N.R. 67
19.45 To a Brook. 4 links each, comes N60W
30.41 " " W Oak. 20 in. dia. Stands in the line.
40.00 Set a post from which
Run 12 in dia. beam. N27W. 153 links each, & 5
Ls. 10 " " " S51W. 172 " "
64.60 To a W Oak. 18 in. dia. Stands in the line.
80.00 Set a post for the cor of sec. 5. 6. 7 & 8 from which
W Oak. 15 in. dia. beam. S56W. 5 links each, & 9
" " 20 " " " N20W. 26 " "
Sands low bottom; & W. L. Timber Gum Oak, Maple
& Hick

East Return Sec. 5 & 8 T. 2 N.R. 67
11.00 To a Brook. 3 links each, comes N15W
39.75 Set a post at all. each from which
W Oak. 12 in dia. beam. N60E. 4 links each, & 5
Ls. 22 " " " S67W. 87 " "
69.00 To a Brook. 3 links each, comes N35W
79.50 Intersect the N & S line at the post cor of sec. 4. 5. 8 & 9
Sands low ridge; Timber Oak & Hick.

North Return Sec. 5 & 6 T. 2 N.R. N. 67
11.50 To a Brook. 50 links each, comes W
24.65 " " W Oak. 18 in. dia. Stands in the line
40.00 Set a post from which
Hick 14 in dia. beam. S20E. 19 links each, & 3
Run. 8 " " " N8E. 48 " "

T. N. 2. N.R. N. 6 W. 2nd Mer. Sud.

80.00 Intersub the N Boundary 57 links East of the post
cor of lat. 31 & 32. T. 3. N.R. 6 W. and set a post for
the cor of lat. 5 & 6. From which
N. Oak 10 in. diam. beam. S 20 E. 25 links wide, & 5
Ho. 8 " " " S 30 E. 33 " "
Cando wood; Timber Gum Hickory & Oak.
" Past barrens.

West Return Lat. 30 & 31. T. 2. N.R. 6 W.
30.65 Tralbrook. 57 links wide, Corner S 70 W.
40.00 Set a post from which
Oak 10 in. diam. beam S 66 E. 5 links wide, & 5
Gum. 20 " " " S 46 W. 27 " "
45.50 Tralbrook. 25 links wide, Corner S.
63.00 " Ho. 50 " " " N 60 W.
80.00 Intersub the West Boundary 100 links South of the
post cor of lat. 25 & 26. T. 2. N.R. 7 W. and set a post for
the cor of lat. 30 & 31 from which
Gum. 14 in. diam. beam. S 37 E. 16 links wide, & 5
Ho. 12 " " " N 27 W. 19 " "
Cando bottom; Timber Gum Oak, Maple, Red & 3.
Feb. 3. 1865.

West Return Lat. 19 & 20 T. 2. N.R. 6 W.
30.75 Tralbrook. 12 links wide beam S 15 W.
40.00 Set a post from which
R. Oak. 12 in. diam. beam. N 77 E. 20 links wide, & 5
W Oak. 7 " " " S 68 W. 9 " "
80.25 Intersub the West Boundary 40 links South of the
post cor of lat. 24 & 25 T. 2. N.R. 7 W. and set a
" " " " 19 & 20 from which
R. Oak. 46 in. diam. beam. S 53 E. 51 links wide, & 5
Ho. 33 " " " N 14 E. 33 " "

421

T. N. 2. N.R. N. 6 W. 2nd (Mn. Sud)

Sande hock Junken Oak.

West	Return Jan 18 19. T. 2 N.R. 6 W.
5.00	Loa Branch 4 links min, corner S60 E.
40.00	Set a 1/4 sap post from which
	Wick 10 in. diam. band S32 W 25 links sub. & 5
	Lo. 10 " " " S29 E 27 " "
51.50	Loa Brook 3 links min, corner S.
59.10	" " W. Oak 27 in. diam. Stands in the line.
80.00	Intersect the West Boundary at the post cor of lot 13 & 24 T. 2 N.R. 7 W. Sande hock Junken Oak & Wick.

West	Return Jan 7 188 T. 2 N.R. 6 W.
21.00	Loa Branch 5 links min, corner N.
38.00	" " Lo. 3 " " " N30 E.
40.00	Set a 1/4 sap post from which
	W Oak 18 in. diam. band. S8 E 9 links sub. & 5
	Lo. 14 " " " N39 E 12 " "
55.00	To a W Oak 20 in. diam. Stands in the line.
80.50	Intersect the West Boundary at the post cor of lot 12 & 13. T. 2 N.R. 7 W Sande hock; Junken Oak.

West	Return Jan 6 87. T. 2 N.R. 6 W.
35.00	Loa Brook 6 links min, corner N60 W
40.00	Set a 1/4 sap post from which
	Red Oak 12 in. diam. band. N77 W 39 links sub. & 5
	Lo. 13 " " " S84 E 60 " "
50.00	Loa Brook 8 links min, corner N10 W
69.14	" " Red Oak 7 in. diam. Stands in the line.
80.46	Intersect the West Boundary at the post cor of lot 1 & 2. T. 2 N.R. 7 W Sande hock ridge; Junken Oak & Wick.

T. N. D. M. R. N. 677 2nd Mer. Sur.

Surveyed by Robt. Stubb & Asst. Sur. U.S.

I certify that the foregoing Transcript of the field
notes of Township N. 2. North of Range N.
6. West of the 2nd Meridian, Indiana, has
been compared with the Original notes in the Of-
fice and found to be correct.

Surveyor General's Office,

Cincinnati, May 23, 1844

E. S. Haines

Sur. Genl.